

HP0-815

HP

Advanced SAN Architecture

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=HP0-815>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your HP0-815 exam in first attempt, but also you can get a high score to acquire HP certification.

If you use pass4sureofficial HP0-815 Certification questions and answers, you will experience actual HP0-815 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our HP exam prep covers over 95% of the questions and answers that may be appeared in your HP0-815 exam. Every point from pass4sure HP0-815 PDF, HP0-815 review will help you take HP HP0-815 exam much easier and become HP certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial HP HP0-815 course:

- * Up-to-Date HP HP0-815 questions taken from the real exam.
- * 100% correct HP HP0-815 answers you simply can't find in other HP0-815 courses.
- * All of our tests are easy to download. Your file will be saved as a HP0-815 PDF.
- * HP HP0-815 brain dump free content featuring the real HP0-815 test questions.

HP HP0-815 certification exam is of core importance both in your Professional life and HP certification path. With HP certification you can get a good job easily in the market and get on your path for success. Professionals who passed HP HP0-815 exam training are an absolute favorite in the industry. You will pass HP HP0-815 certification test and career opportunities will be open for you.



QUESTION: 1

You are replicating data over long distances using 1 Gbps B-series (Brocade) fabric switches. Extended fabrics (increased buffer-to-buffer credits) should be used when the minimum distance exceeds _____ km.

- A. 10
- B. 15
- C. 20
- D. 35

Answer: A

QUESTION: 2

Why do customers want to extend the SAN?

- A. to make SANs more manageable
- B. to scale SANs with more switches
- C. to increase the speed of data transport
- D. to connect geographically distributed data centers

Answer: D

QUESTION: 3

You are using 2 Gb switches connected in a dual ring topology with two ISLs. What is the maximum cross-sectional bandwidth?

- A. 200 Mbyte/sec
- B. 350 Mbyte/sec
- C. 400 Mbyte/sec
- D. 800 Mbyte/sec

Answer: D

QUESTION: 4

A customer has implemented a multi-switch core-edge fabric with B-series (Brocade) 2 Gbps fabric switches. How can the SAN administrator back up the SAN configuration data every time a change is made to the SAN? (Choose two.)

- A. download the switch and zoning configurations with the Fabric Manager
- B. use a Telnet session with FTP to download the switch and zoning information
- C. download the switch and zoning configurations with the High Availability Fabric Manager

D. Switch configuration and zoning configuration are automatically saved to a pre-defined location before a change is applied to either a switch or the fabric.

Answer: A, B

QUESTION: 5

What is a design property of the Core+Edge+Leaf SAN topology?

- A. It allows many devices to share a single ISL.
- B. It allows many hosts to share a single storage port.
- C. It can start at one switch and grow almost without limit.
- D. It involves simplex I/O, meaning only one path is utilized for I/O.

Answer: C

QUESTION: 6

What is dark fiber?

- A. fiber optic cable that has black color coding
- B. a special version of single-mode 9 fiber optic cable
- C. shared fiber optic cable running from a to b offered by a service provider
- D. unused fiber optic cable running from a to b offered by a service provider

Answer: D

QUESTION: 7

A SAN administrator has an existing test SAN, based on 1 Gbps B-series (Brocade) fabric switches. To evaluate the compatibility of 1 Gbps and 2 Gbps switches, the administrator powers on a 1 Gbps and a 2 Gbps fabric switch (factory default settings). An ISL is then installed between the two fabric switches. The administrator notices that the fabric segments. What are two possible causes of this segmentation? (Choose two.)

- A. The zoning information is incompatible.
- B. The Core PID parameters are conflicting.
- C. The new switch has a conflicting Domain ID.
- D. The speed on the port must first be set for 1 Gbps operation.

Answer: B, C

QUESTION: 8

How can you reduce Total Cost of Ownership (TCO) of a SAN?

- A. identify and address pain levels?at upper management
- B. identify and address pain levels?when reducing operating staff
- C. identify and address SAN islands in large corporations that will merge from smaller organizations
- D. identify and address pain levels?associated with data movement, data sharing, and data growth

Answer: D

QUESTION: 9

What is the recommended way to fail over a site in a replication solution?

- A. as a result of an application timeout
- B. by an operator with scripted procedures
- C. as a result of the loss of the inter-site links
- D. by the absence of heart beat of the source array

Answer: B

QUESTION: 10

What is a common cause of downtime in a customer's IT application, databases, and infrastructure?

- A. human error
- B. power outages
- C. computer viruses
- D. software malfunction

Answer: A

QUESTION: 11

What are three OVSAM primary device discovery components? (Choose three.)

- A. SNMP discovery
- B. host agent discovery
- C. LUN masking discovery
- D. system reboot discovery
- E. managed hosts discovery
- F. discovery by event modeling

Answer: A, B, E

QUESTION: 12

What are two benefits of migrating from one SAN topology to another SAN topology? (Choose two.)

- A. Zone conflicts and limitations are resolved.
- B. The management of the SAN is simplified.
- C. Many smaller switches are consolidated into fewer large fabric switches.
- D. The SAN can scale to support additional storage devices and applications servers.

Answer: C, D

QUESTION: 13

Who is responsible for the security in the SAN?

- A. SAN Change Manager
- B. LAN Security Manager
- C. SAN Security Manager
- D. SAN Configuration Manager

Answer: C

QUESTION: 14

What does a SAN high availability configuration provide?

- A. a non-disruptive merging of multiple SANs
- B. a non-disruptive upgrade process of the iSCSI protocol definitions
- C. the capability to test new switch firmware in a production environment
- D. non-disruptive SNMP messages to the system management framework

Answer: A

QUESTION: 15

What does SAN performance management monitor and analyze?

- A. SNMP traffic
- B. SAN traffic patterns
- C. RSCN traffic patterns
- D. SAN name server traffic

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

