

7003-1

Avaya

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=7003-1>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 7003-1 exam in first attempt, but also you can get a high score to acquire Avaya certification.

If you use pass4sureofficial 7003-1 Certification questions and answers, you will experience actual 7003-1 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Avaya exam prep covers over 95% of the questions and answers that may be appeared in your 7003-1 exam. Every point from pass4sure 7003-1 PDF, 7003-1 review will help you take Avaya 7003-1 exam much easier and become Avaya certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial Avaya 7003-1 course:

- * Up-to-Date Avaya 7003-1 questions taken from the real exam.
- * 100% correct Avaya 7003-1 answers you simply can't find in other 7003-1 courses.
- * All of our tests are easy to download. Your file will be saved as a 7003-1 PDF.
- * Avaya 7003-1 brain dump free content featuring the real 7003-1 test questions.

Avaya 7003-1 certification exam is of core importance both in your Professional life and Avaya certification path. With Avaya certification you can get a good job easily in the market and get on your path for success. Professionals who passed Avaya 7003-1 exam training are an absolute favorite in the industry. You will pass Avaya 7003-1 certification test and career opportunities will be open for you.



QUESTION: 1

A technician deployed a Communication Server 1000E with dual homing feature configured. Both the T and 2T ports are connected on the media Gateway Controller (MGC) one connection is active to avoid network loops. Which two statements are true, if the connection to the active port on the MGC is host? (Choose two)

- A. The MGC will issue a link down error.
- B. The MGC will switch to the active port.
- C. The MGC and CPPM will have no loss of service.
- D. The MGC will switch to the active port after 12 seconds.

Answer: B, C

QUESTION: 2

A customer has deployed a Communication Server 100 Rls. 7x system at their site. The technician has been asked to add the Call pickup feature to the 100 IP telephone in the sales department. The customer wants to be sure active calls not lost when the changes are made. Which Phones Configuration feature can be enabled that will ensure changes to the telephone are not transmitted to the call server until the telephone are busy?

- A. Bulk change
- B. Courtesy change
- C. Group change
- D. Template change

Answer: B

QUESTION: 3

A customer wants to build a new Ip node on their Communication Server (CS) 1000E system with three Signaling Servers. This node will support virtual trunks, IP media services, TPS and personnel directories. A technician logs into Elements manager to complete the configuration, after creating and saving the node configuration, the transfer now option chosen, then the servers are selected, the start sync is selected followed by restart application. What is expected outcome from the system?

- A. The node file will be transferred from Signaling Servers to the call servers, and INI files will be transferred from the call server to the selected servers.

- B. The node file will be transferred from Call Servers to the Signaling servers, and the INI files will be transferred from the Call Servers to the selected servers.
- C. The node file will be transferred from Signaling Servers to the Call Server, and the INI files will be transferred from Call Servers to the Signaling servers.
- D. The node will be transferred from Element manager to the call server, and INI files will be transferred from Element manager to CallServer.

Answer: B

QUESTION: 4

A customer wants to deploy an Avaya Server (CS) 1000 Rls. 7x system in Avaya Aura solution. They plan to have the system support 50,000 users. Which system type will meet the customer's needs?

- A. CS 1000E Co-Resident Call Server and Signaling Server
- B. CS 1000E Standard Availability (SA)
- C. CS 1000E High Availability (HA)
- D. CS 1000E High Scalability (HS)

Answer: D

QUESTION: 5

You are installing a new Communication Server 1000E (CS 1000E) SA release 7x system for your customer. They have asked you to implement the corporate Directory Feature during the installation.

- A. SFTP must be disabled in LD 117.
- B. Valid telephony accounts must already exist in Subscriber Manager.
- C. The CS 1000E Call Server must be joined to security domain.
- D. Centralized authentication must be disabled.

Answer: C

QUESTION: 6

A customer with a Communication Server (CS) 1000E at Rls. 5.5 with two IPMG is upgrading the system to CS 1000E SA release 7 x. The second media gateway includes a media Gateway

Controller card with one high density DSP daughter board. How many voice channels does this configuration provide?

- A. 32
- B. 64
- C. 96
- D. 128

Answer: D

QUESTION: 7

Refer to the exhibit.

DN	Description	Status
2000		
2010		
2020		
2030		
2040		
2050		
2060		
2070		
2080		
2090		
2100		
2110		
2120		
2130		
2140		
2150		
2160		
2170		
2180		
2190		
2200		
2210		
2220		
2230		
2240		
2250		
2260		
2270		
2280		
2290		
2300		
2310		
2320		
2330		
2340		
2350		
2360		
2370		
2380		
2390		
2400		
2410		
2420		
2430		
2440		
2450		
2460		
2470		
2480		
2490		
2500		
2510		
2520		
2530		
2540		
2550		
2560		
2570		
2580		
2590		
2600		
2610		
2620		
2630		
2640		
2650		
2660		
2670		
2680		
2690		
2700		
2710		
2720		
2730		
2740		
2750		
2760		
2770		
2780		
2790		
2800		
2810		
2820		
2830		
2840		
2850		
2860		
2870		
2880		
2890		
2900		
2910		
2920		
2930		
2940		
2950		
2960		
2970		
2980		
2990		

A Communication Server 1000E Rls. 7 x customer is adding a new Human Resources department with eight IP telephone users. The customer has asked for the telephones to be programmed with consecutive Directory numbers (DNs) from their DID range (2000-2099). Which numbers sequence is available to meet the customer's requirements?

- A. 2001-2008
- B. 2010-2017
- C. 2050-5057
- D. 5091-2098

Answer: D

QUESTION: 8

A customer has a Communication Server (CS) 1000E Rls. 7 x system with a System Manager as the primary Security Server that has been designated as a Deployment Server. The application file (.nai) has been uploaded to the deployment manager library. The customer has added an element to the security domain and wants to deploy software applications to the element. With respect to deployment services, which statement is false?

- A. Deployment Manager has logic to prevent applications being deployed on unsupported hardware platform.
- B. MAS application has its own separate .nai file.
- C. IM & Presence application has its own separate .nai file.
- D. MAS can be deployed on the same server as Session Manager.

Answer: D

QUESTION: 9

A technician is installing the Linux Base Operating System software on the CPDC server for the Avaya Aura system and steps away while the software is loading. When the technician returns, he verifies that the Linux base installation is complete and successfully installed. What status can the technician verify to ensure the installation is successful?

- A. There is no visible indication available.
- B. The Linux server reboots and the FQDN login prompt appears.
- C. The status of Linux Hardening items is displayed and the system reboots.
- D. The Linux server reboots and the Linux Status Completion screen appears.

Answer: B

QUESTION: 10

A technician on a Communication Server 1000E SA Rls. 7x cannot get a second media Gateway to register with the Call Server. The call server and Media Gateway 1 sit in the same 19 inch rack while Media Gateway 2 is in another building and connected via the computer IP network Media Gateway 2 can ping the Call Server but cannot register. The network is suspected of having a firewall or port blocking issue. Which diagnostic tool will help to isolate and identify a firewall or port blocking issue between the call server and Media Gateway 2?

- A. Gryphon Tool
- B. Packet Capture Tool

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

